	Application No.	Applicant(s)
Notice of Allowability	09/986,137	ALMOGY ET AL.
	Examiner	Art Unit
	Phillip A Johnston	2881
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
 This communication is responsive to <u>amendment dated 10-08-2003</u>. The allowed claim(s) is/are <u>1-20,22-32</u>, <u>and 34-44</u>. The drawings filed on <u>07 November 2001</u> are accepted by the Examiner. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). All Some* None the: Certified copies of the priority documents have been received. 		
2. Certified copies of the priority documents have been received in Application No		
 Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)). 		
* Certified copies not received: 5. Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application) since a specific reference was included in the first sentence of the specification or in an Application Data Sheet. 37 CFR 1.78. (a) The translation of the foreign language provisional application has been received. 6. Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121 since a specific reference was included in the first sentence of the specification or in an Application Data Sheet. 37 CFR 1.78.		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
7. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
8. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted. (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached 1) ☐ hereto or 2) ☐ to Paper No		
(b) 🗌 including changes required by the proposed drawing correction filed, which has been approved by the Examiner.		
(c) 🔲 including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the margin according to 37 CFR 1.121(d).		
9. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s)		
 Notice of References Cited (PTO-892) Notice of Draftperson's Patent Drawing Review (PTO-948) Information Disclosure Statements (PTO-1449 or PTO/SB/08 Paper No. <u>11-5</u>, <u>11-6</u> 	6∏ Interview Summary (tent Application (PTO-152) PTO-413), Paper No
	^{),} 7□ Examiner's Amendm	ent/Comment
Examiner's Comment Regarding Requirement for Deposit of Biological Material	8⊠ Examiner's Statemer 9⊡ Other .	nt of Reasons for Allowance

Application/Control Number: 09/986,137

Art Unit: 2881

Page 2

Examiner's statement of reasons for allowance

The following is an examiner's statement of reasons for allowance:

1. Claims 1, 28,32, and 38 are allowed because Prior art fails to show a multiple

electron beam inspection system where the mechanical stage moves the substrate in

a direction which is not parallel to either the x or y axis of the array of electron beam

spots, such that as the substrate is moved across the spot array there are no gaps

between the paths traced across the substrate.

The use of a mechanical stage to perform non-parallel scanning of an array of

electron beams on a substrate being inspected is patentable.

2. Claims 2-20,22-27,29-31, and 34-44 are allowed because they are dependent

upon allowed Claims 1, 28,32, and 38.

Any comments considered necessary by applicant must be submitted no later

than the payment of the issue fee and, to avoid processing delays, should preferably

accompany the issue fee. Such submissions should be clearly labeled "Comments on

Statement of Reasons for Allowance."

Application/Control Number: 09/986,137

Art Unit: 2881

Conclusion

3. Any inquiry concerning this communication or earlier communications should be directed to Phillip Johnston whose telephone number is (703) 305-7022. The examiner can normally be reached on Monday-Friday from 7:30 am to 4:00 pm. If attempts to reach the examiner by telephone are unsuccessful, the examiners supervisor John Lee can be reached at (703) 308-4116. The fax phone numbers are (703) 872-9318 for regular response activity, and (703) 872-9319 for after-final responses. In addition the customer service fax number is (703) 872-9317.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is 703 308 0956.

PJ

November 6, 2003

SUPERVIOLEN PARTY DECOMER

Page 3